




Maevi Smart Plug Quick Start Guide

Introduction

The Maevi Smart Plug monitors the energy usage of connected appliances. It allows you to turn these devices on and off remotely as well as setting on/off schedules from Maevi app.

Get to know your device



Buttons

On/Off button	Used to switch the socket ON and OFF
Reset Button	<ul style="list-style-type: none"> • Return the device to default factory settings • Set the device in pairing mode so as to pair with a wireless switch

LED Indicator

LED Status	What it Means
LED Flashing	The device has not joined a network
Green LED solid on	The load is ON
RED LED solid on	The load is OFF
LED flashing three times	Entering pairing mode or return to the default factory settings

Get Started

To get started, you will need :


- Maevi Gateway
- Maevi Smart Plug
- Maevi Mobile App
(Available for download on Google Play Store and Apple App Store)

Then follow the steps below:

1. Insert the Smart Plug into socket, on the power supply and the LED indicator will begin flashing green or red.

Tip: If the LED indicator is not flashing, please press and hold the reset button for 10 seconds (LED indicator will flash three times at three seconds and flash again three times at 10 seconds) then the indicator will keep flashing slow when the device is return to default factory setting.


2. Open Maevi App and go to “Home Automation” tab.
3. Select “Add New Device” button to pair the Smart Plug with the Gateway.




Tip: You can also press and hold the “Z” button on the Gateway for two seconds until the LED indicator turns steady blue.

4. The Smart Plug is successfully paired with the Gateway when the LED indicator at the Smart Plug turns solid.
5. The Smart Plug should now appear in the app as Smart Plug. If not, refresh the “Home Automation” page by pull it down and release.
6. Click the Smart Plug to see individual info page.
7. Connect the appliance which you want to monitor into the Smart Plug.

Note: Make sure your appliance is within the 10A output rating of the Smart Plug.



Home Automation Page



Smart Plug Info Page

Features

Info Tab – Energy Consumption / Reset Energy Consumed / Remove Device / Rename Device / Device Info

Edit Button

Energy Consumption

Days	4
Total Energy Consumed	1.52 kWh
Cost up to date	RM 0.33
Sum Energy	98.22 kWh
Sum Cost	RM 21.41

Reset Sum Energy and Sum Cost (Accumulated)

To Remove Device

To Rename Device

To Save Changes

Device Status/ Info

Name: Aquarium Light

Gateway connecting: Maevi Offices


Estimated sum cost: RM 21.41

Connected gateway: Maevi Office


Connection status: Connected

Device info:
 Device ID : D2BAABFEFF6E6000:1
 Gateway MAC : 00606EFFFFE935A01


Automation Tab - Create Schedule to turn On/Off Appliance




Select **Automation** tab,
tap
+ Add new automation schedule




Select status : **ON/OFF**




Select **Time**,
tap **Confirm**



Select **Day**,
tap **Confirm**




View details,
tap **Confirm**



Successful create
schedule

Reset Smart Plug



Step:

1. Insert the Smart Plug into socket, on the power supply.
2. Use a pin key tool to press and hold the reset button for 10 seconds (LED indicator will flash three times at three seconds and flash again three times at 10 seconds).
3. Reset is successful when the LED indicator keep flashing slow.